

Compare Products

Code	70970
Model	XJ37



Note

x
 - Top speed is delivered with fully charged battery
 - Diver : 70kg weight, 170cm high - drysuit - double 12 tanks - horizontal trim
 - Conditions : sea water - no flow/current

Dimensions

Use	TECH / COMMERCIAL LONG RANGE / CAVE
Length	mm 790 (inch 31,1)
Width	mm 436 (inch 17,2)
Height	mm 340 (inch 13,4)
Body diameter	mm 197 (inch 7,8)
Weight without battery	kg 14 (lb 30,9)
Weight with battery	kg 20 (lb 44,1)
Material type	Aluminum body

Performance

Max static thrust	N 330 (lb 74,2)
Top speed	mt/min 85 (ft/min 278)
Run time at max speed/drag	min 85
Run time at cruise speed	min 180
Maximum operational depth	mt 200 (ft 656)
Test depth	mt 300 (ft 984)
Buoyancy/ trim	Neutral Trim and Buoyancy
In-water usage temperature	°C -5/+35 (°F +23/+95)

Runtime-range

SPEED MT/MIN	BURNTIME - MIN	RANGE KM (nm)
FULL TRIGGER	85	5,9 (2,7)
60-2KNOTS	120	7,2 (3,8)
45-CRUISE	180	8,1 (4,3)
30	270	

- Top speed is delivered with fully charged battery
 - Diver : 70kg weight, 170cm high - drysuit - double 12 tanks - horizontal trim
 - Conditions : sea water - no flow/current

Battery type

Battery type	LI-ion
Nominal Voltage	Volt 25,2
Nominal Capacity	Wh 940
Maximum recharging time	h 8
Charger power supply	90/240 - 50/60 Hz

Features

DRIVE	●
Fastening device	●
Main Switch	●
Proplock Propeller	●
Speed Adjustment	●
Battery Gauge	●
By-pass System	●
Easy Trim	●
Easy Inspect	●
New Handle Design	
Battery and Charger Design and Quality	●
Sealed Motor Compartment	●
NBS - Neutral Buoyancy System	●
Made Salt Resistant	●
Motor Protection	●
Battery Protection	●
Certifications	●

Features legend:

● : standard

○ : optional

 : not available